




U DRAINS

STANDARD PRECAST U DRAIN



PRODUCT RANGE




Select from our range of precast U Drains. Dimensions and reinforcement details are subject to approved drawings and project requirements.

MODEL / CODE	INTERNAL WIDTH (MM)	INTERNAL DEPTH (MM)	LENGTH (MM)	THICKNESS (MM)	REINFORCEMENT
U DRAIN 450	450 IW	300 ID	1200 L	150 T	B6/B8
U DRAIN 450	450 IW	600 ID	1200 L	150 T	B6/B8
U DRAIN 600	600 IW	300 ID	1200 L	150 T	B6/B8
U DRAIN 600	600 IW	600 ID	1200 L	150 T	B6/B8
U DRAIN 750	750 IW	600 ID	1200 L	150 T	B6/B10
U DRAIN 800	800 IW	600 ID	1200 L	150 T	B6/B10
U DRAIN 900	900 IW	600 ID	1200 L	150 T	B6/B10
U DRAIN 1200	1200 IW	600 ID	1200 L	150 T	B6/B10
U DRAIN 1200	1200 IW	600 ID	1200 L	200 T	B6/B10
U DRAIN 1500	1500 IW	600 ID	1200 L	150 T	B6/B10
U DRAIN 1500	1500 IW	600 ID	1200 L	200 T	B6/B10
U DRAIN 1600	1600 IW	600 ID	1200 L	200 T	B8/B10
U DRAIN 1700	1700 IW	600 ID	1200 L	200 T	B8/B10
U DRAIN 1800	1800 IW	600 ID	1200 L	150 T	B8/B10
U DRAIN 2000	2000 IW	600 ID	1200 L	200 T	B8/B10

CUSTOM SIZES AVAILABLE • PROJECT-SPECIFIC FABRICATION • SUPPLY & DELIVERY

APRON DRAINS

STANDARD PRECAST APRON DRAIN



PRODUCT RANGE





Select from our range of precast Apron Drains. Dimensions and reinforcement details are subject to approved drawings and project requirements.

MODEL / CODE	INTERNAL WIDTH (MM)	INTERNAL DEPTH (MM)	LENGTH (MM)	THICKNESS (MM)	REINFORCEMENT
APRON DRAIN 230	230 IW	200 ID	900 L	100 T	1 x A8 MESH
APRON DRAIN 230	230 IW	300 ID	900 L	100 T	1 x B10 MESH
APRON DRAIN 230	230 IW	300 ID	900 L	125 T	1 x B10 MESH
APRON DRAIN 300	300 IW	300 ID	900 L	100 T	1 x B8
APRON DRAIN 300	300 IW	300 ID	900 L	125 T	1 x B8
APRON DRAIN 300	300 IW	300 ID	900 L	150 T	2 x B8
APRON DRAIN 350	350 IW	300 ID	900 L	150 T	2 x B8
APRON DRAIN 400	400 IW	300 ID	900 L	150 T	2 x B8

CUSTOM SIZES AVAILABLE • PROJECT-SPECIFIC FABRICATION • SUPPLY & DELIVERY

HOUSE DRAINS

STANDARD PRECAST HOUSE DRAINS



PRODUCT RANGE




Select from our range of precast House Drains. Dimensions and reinforcement details are subject to approved drawings and project requirements.

MODEL / CODE	INTERNAL WIDTH (MM)	INTERNAL DEPTH (MM)	LENGTH (MM)	THICKNESS (MM)	REINFORCEMENT
HOUSE DRAIN U2-450	225 IW	200 ID	450 L	100 T	1 x A8
HOUSE DRAIN U2-900	225 IW	200 ID	900 L	100 T	1 x A8
HOUSE DRAIN U2-1800	225 IW	200 ID	1800 L	100 T	1 x A8
HOUSE DRAIN U3-450	225 IW	300 ID	450 L	100 T	1 x A8
HOUSE DRAIN U3-900	225 IW	300 ID	900 L	100 T	1 x A8
HOUSE DRAIN U3-1800	225 IW	300 ID	1800 L	100 T	1 x A8
HOUSE DRAIN U4-450	225 IW	400 ID	450 L	100 T	1 x A8
HOUSE DRAIN U4-900	225 IW	400 ID	900 L	100 T	1 x A8
HOUSE DRAIN U4-1800	225 IW	400 ID	1800 L	100 T	1 x A8
HOUSE DRAIN U6-900	225 IW	600 ID	900 L	100 T	1 x A8
HOUSE DRAIN U6-1800	225 IW	600 ID	1800 L	100 T	1 x A8
HOUSE DRAIN E2	225 IW	200 ID	500/500 L	100 T	1 x B10
HOUSE DRAIN E4	225 IW	400 ID	500/500 L	100 T	1 x B10
HOUSE DRAIN E2	225 IW	200 ID	500/575 L	100 T	1 x B10
HOUSE DRAIN E4	225 IW	400 ID	500/575 L	100 T	1 x B10

CUSTOM SIZES AVAILABLE • PROJECT-SPECIFIC FABRICATION • SUPPLY & DELIVERY

IC SUMPS

STANDARD PRECAST IC SUMP



PRODUCT RANGE


Select from our range of precast IC Sumps. Dimensions and reinforcement details are subject to approved drawings and project requirements.

MODEL / CODE	INTERNAL WIDTH (MM)	INTERNAL LENGTH (MM)	INTERNAL DEPTH (MM)	THICKNESS (MM)	REINFORCEMENT
IC SUMP 450 x 450	450 IW	450 IL	300-1500 ID	150 T	2 x H10 @ 150 mm C/C
IC SUMP 600 x 600	600 IW	600 IL	300-1500 ID	150 T	2 x H10 @ 150 mm C/C
IC SUMP 750 x 750	750 IW	750 IL	300-1500 ID	150 T	2 x H10 @ 150 mm C/C
IC SUMP 800 x 800	800 IW	800 IL	300-1500 ID	150 T	2 x H10 @ 150 mm C/C
IC SUMP 900 x 700	900 IW	700 IL	300-1500 ID	150 T	2 x H10 @ 150 mm C/C
IC SUMP 1000 x 1000	1000 IW	1000 IL	300-1500 ID	150 T	2 x H10 @ 150 mm C/C
IC SUMP 1100 x 700	1100 IW	700 IL	300-1500 ID	150 T	2 x H10 @ 150 mm C/C
IC SUMP 1300 x 900	1300 IW	900 IL	300-1500 ID	150 T	2 x H10 @ 150 mm C/C

CUSTOM SIZES AVAILABLE • PROJECT-SPECIFIC FABRICATION • SUPPLY & DELIVERY

INTERMEDIATE SUMP

STANDARD INTERMEDIATE SUMP



PRODUCT RANGE

Select from our range of precast intermediate sumps. Dimensions and reinforcement details are subject to approved drawings and project requirements.

MODEL / CODE	INTERNAL WIDTH (MM)	INTERNAL LENGTH (MM)	INTERNAL DEPTH (MM)	THICKNESS (MM)	REINFORCEMENT
SUMP 600 x 300	600 IW	300 IL	300-750 ID	150 T	2 x W6 MESH
SUMP 550 x 550	550 IW	550 IL	300-600 ID	100 T	2 x W6 MESH
SUMP WITH SLAB	600 IW	300 IL	300-750 ID	150 T	2 x W6 MESH
SUMP WITH SLAB	550 IW	550 IL	300-600 ID	100 T	2 x W6 MESH

CUSTOM SIZES AVAILABLE • PROJECT-SPECIFIC FABRICATION • SUPPLY & DELIVERY

C CHANNELS



MODEL / CODE	INTERNAL WIDTH (MM)	INTERNAL DEPTH (MM)	LENGTH (MM)
C1-CHANNEL	150 IW	75 ID	600 L
C2-CHANNEL	230 IW	85 ID	600 L
C3-CHANNEL	305 IW	125 ID	600 L
C4-CHANNEL	380 IW	150 ID	600 L
C5-CHANNEL	455 IW	145 ID	600 L
C5A-CHANNEL	455 IW	75 ID	600 L
C6-CHANNEL	535 IW	150 ID	600 L



MODEL / CODE	INTERNAL WIDTH (MM)	INTERNAL DEPTH (MM)	LENGTH (MM)
C7-CHANNEL	810 IW	495 ID	600 L
C7A-CHANNEL	595 IW	335 ID	600 L
C8-CHANNEL	1200 IW	750 ID	600 L



MODEL / CODE	INTERNAL WIDTH (MM)	INTERNAL DEPTH (MM)	LENGTH (MM)
B1-DRAIN	305 IW	305 ID	600 L
B2-DRAIN	380 IW	380 ID	600 L
B3-DRAIN	600 IW	610 ID	600 L

ROAD KERB



MODEL / CODE	HEIGHT (MM)	THICKNESS (MM)	LENGTH (MM)
K2A-980	250 H	125 T	980 L
K2A-300	250 H	125 T	300 L
K2-980	300 H	125 T	980 L
K2-300	300 H	125 T	300 L
K2B-980	275 H	125 T	980 L
K2B-300	275 H	125 T	300 L



MODEL / CODE	HEIGHT (MM)	THICKNESS (MM)	LENGTH (MM)
K2A-980 (WB)	250 H	125 T	980 L
K2A-300 (WB)	250 H	125 T	300 L
K2-980 (WB)	300 H	125 T	980 L
K2-300 (WB)	300 H	125 T	300 L
K2B-980 (WB)	275 H	125 T	980 L
K2B-300 (WB)	275 H	125 T	300 L




MODEL / CODE	HEIGHT (MM)	THICKNESS (MM)	LENGTH (MM)
K2A-980 (SH)	250 H	125 T	980 L
K2B-980 (SH)	275 H	125 T	980 L
K2-980 (SH)	300 H	125 T	980 L
K2A-980 (SO)	250 H	125 T	980 L
K2B-980 (SO)	275 H	125 T	980 L
K2-980 (SO)	300 H	125 T	980 L

DROP INLET CHAMBER (DIC)



MODEL / CODE	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)
DIC 125 (L)	950 L	500 W	425 H
DIC 125 (R)	950 L	500 W	425 H
DIC 175 (L)	950 L	500 W	425 H
DIC 175 (R)	950 L	500 W	425 H

CATCH BASIN



MODEL / CODE	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)
CATCH BASIN	800 L	500 W	575 H

DIVIDER (D1)



MODEL / CODE	WIDTH (MM)	HEIGHT (MM)	LENGTH (MM)
D1 (WB)	300 W	150 H	600 L
D1 (WB)	300 W	100 H	600 L
D1 (W/O B)	300 W	150 H	600 L
D1 (W/O B)	300 W	100 H	600 L

CUSTOM SIZES AVAILABLE • PROJECT-SPECIFIC FABRICATION • SUPPLY & DELIVERY

WHEEL STOPPER

STANDARD WHEEL STOPPER



PRODUCT RANGE

Select from our range of precast wheel stoppers. Dimensions and reinforcement details are subject to approved drawings and project requirements.

MODEL / CODE	WIDTH (MM)	HEIGHT (MM)	LENGTH (MM)	Remarks
WHEEL STOPPER	200 W	150 H	600 L	2 x T16 DOWEL BARS
WHEEL STOPPER	200 W	125 H	600 L	2 x T16 DOWEL BARS
WHEEL STOPPER	150 W	150 H	600 L	2 x T13 DOWEL BARS
WHEEL STOPPER	150 W	125 H	600 L	2 x T13 DOWEL BARS
WHEEL STOPPER	200 W	115 H	500 L	2 x T16 DOWEL BARS
WHEEL STOPPER	200 W	115 H	500 L	1 x U-SHAPED T16 DOWEL BAR
WHEEL STOPPER	200 W	150 H	750 L	2 x T16 DOWEL BARS
WHEEL STOPPER	200 W	150 H	900 L	2 x T16 DOWEL BARS
WHEEL STOPPER	200 W	150 H	1000 L	2 x T16 DOWEL BARS
WHEEL STOPPER	200 W	115 H	1600 L	2 x T13 DOWEL BARS

CUSTOM SIZES AVAILABLE • PROJECT-SPECIFIC FABRICATION • SUPPLY & DELIVERY

CONCRETE BARRIER



PRODUCT RANGE

Select from our range of precast concrete barriers. Dimensions and reinforcement details are subject to approved drawings and project requirements.

MODEL / CODE	WIDTH (MM)	HEIGHT (MM)	LENGTH (MM)	REMARKS
CONCRETE BARRIER	570 W	810 H	3000 L	Reinforcement details as per drawing
CONCRETE BARRIER	610 W	910 H	3000 L	
CONCRETE BARRIER	610 W	910 H	2000 L	
CONCRETE BARRIER	500 W	800 H	1000 L	

CUSTOM SIZES AVAILABLE • PROJECT-SPECIFIC FABRICATION • SUPPLY & DELIVERY

CONCRETE SLAB & DRAIN COVER



PRODUCT RANGE

Select from our range of precast concrete slabs. Dimensions and reinforcement details are subject to approved drawings and project requirements.

CONCRETE SLAB SIZES





MODEL / CODE	WIDTH (MM)	LENGTH (MM)	THICKNESS (MM)	REINFORCEMENT
SLAB	600 W	600 L	30 T	WIRE MESH
SLAB	600 W	600 L	50/100/120 T	1 x D6
SLAB	400 W	400 L	50/100 T	1 x D6
SLAB	500 W	500 L	50/100/120 T	1 x D6
SLAB	300 W	300 L	50 T	1 x D6
SLAB	300 W	600 L	50 T	1 x D6

DRAIN COVER SLAB SIZES

MODEL / CODE	WIDTH (MM)	LENGTH (MM)	THICKNESS (MM)	REINFORCEMENT
DRAIN COVER	540 W	600 L	50 T	1 x D6
DRAIN COVER	390 W	600 L	50 T	1 x D6
DRAIN COVER	380 W	600 L	50 T	1 x D6
DRAIN COVER	300 W	600 L	50 T	1 x D6
DRAIN COVER	300 W	300 L	50 T	1 x D6

CUSTOM SIZES AVAILABLE • PROJECT-SPECIFIC FABRICATION • SUPPLY & DELIVERY

PERFORATED SLAB




PRODUCT RANGE

MODEL / CODE	WIDTH (MM)	LENGTH (MM)	THICKNESS (MM)	REINFORCEMENT
PERFORATED SLAB (10 HOLE)	735 W	735 L	65 T	1 x T10
PERFORATED SLAB (6 HOLE)	600 W	600 L	75 T	1 x T10
SUPER UNI GRASSPAVE (6 Hole)	453 W	453 L	100 T	N/A

CUSTOM SIZES AVAILABLE • PROJECT-SPECIFIC FABRICATION • SUPPLY & DELIVERY

DRAW PIT






PRODUCT RANGE

MODEL / CODE	WIDTH (MM)	LENGTH (MM)	HEIGHT (MM)	THICKNESS (MM)	REINFORCEMENT
DRAW PIT (W/O H)	300 W	500 L	750 H	200 T	2 x H10
DRAW PIT (W/O H)	500 W	500 L	750 H	200 T	2 x H10
DRAW PIT (WH)	500 W	800 L	750 H	200 T	2 x H10
DRAW PIT (WH)	500 W	1300 L	750 H	200 T	2 x H10
DRAW PIT	500 W	500 L	550 H	100 T	1 x A6
DRAW PIT	500 W	1000 L	550 H	100 T	1 x A6

CUSTOM SIZES AVAILABLE • PROJECT-SPECIFIC FABRICATION • SUPPLY & DELIVERY

CONCRETE BLOCKS




PRODUCT RANGE

MODEL / CODE	WIDTH (MM)	LENGTH (MM)	HEIGHT (MM)	REINFORCEMENT
INTERLOCKING BLOCK	800 W	800 L	800 H	Reinforcement details as per drawing
INTERLOCKING BLOCK	800 W	1600 L	800 H	
BLOCK	500 W	500 L	500 H	
BLOCK	600 W	600 L	600 H	
BLOCK	800 W	800 L	800 H	
BLOCK	1000 W	1000 L	1000 H	

CUSTOM SIZES AVAILABLE • PROJECT-SPECIFIC FABRICATION • SUPPLY & DELIVERY

CONCRETE FOOTINGS



PRODUCT RANGE

Select from our range of precast concrete footings. Dimensions and reinforcement details are subject to approved drawings and project requirements.

MODEL / CODE	WIDTH (MM)	LENGTH (MM)	HEIGHT (MM)	REINFORCEMENT
FOOTING	400 W	400 L	600 H	Reinforcement details as per drawing
FOOTING	450 W	450 L	600 H	
FOOTING	500 W	500 L	700 H	
FOOTING	600 W	600 L	800 H	
FOOTING	1200 W	1200 L	1300 H	
FOOTING	1000/600 W	1000/600 L	300/600 H	

CUSTOM SIZES AVAILABLE • PROJECT-SPECIFIC FABRICATION • SUPPLY & DELIVERY


SOLAR PANEL CONCRETE PLINTH



PRODUCT RANGE

MODEL / CODE	WIDTH (MM)	LENGTH (MM)	HEIGHT (MM)	REINFORCEMENT
PLINTH	280 W	300 L	200 H	A6 MESH
PLINTH	350 W	600 L	165 H	NIL
PLINTH (WH)	350 W	600 L	165 H	NIL

TELECOM MANHOLE



MODEL / CODE	INTERNAL WIDTH (MM)	INTERNAL LENGTH (MM)	INTERNAL DEPTH (MM)
MX1 MANHOLE	1000 IW	1500 IL	1100 ID
MX2 MANHOLE	1000 IW	2100 IL	1100 ID
MX3 MANHOLE	1200 IW	2100 IL	1700 ID
MX4 MANHOLE	1500 IW	2500 IL	1700 ID

CUSTOM SIZES AVAILABLE • PROJECT-SPECIFIC FABRICATION • SUPPLY & DELIVERY

METAL GRATINGS



PRODUCT RANGE

Select from our range of metal gratings. Dimensions and details are subject to approved drawings and project requirements.

MODEL / CODE	WIDTH (MM)	LENGTH (MM)
LTA PEDESTRIAN CONCRETE INFILL GRATING	850 W	1000 L
LTA PEDESTRIAN CONCRETE INFILL GRATING	700 W	850 L
HINGED GRATING	460 W	488 L
STANDARD GRATING	300 W	1000 L

CUSTOM SIZES AVAILABLE • PROJECT-SPECIFIC FABRICATION • SUPPLY & DELIVERY